

13/14 – LIGHT MEDIUM DUTY, PLATE MOUNT SERIES – 350 LB



| BRAKE OPTIONS | | | |
|---------------|---------------------|--------------------|---------------|
| | | | |
| Cam Brake (C) | TKB Pedal Brake (H) | Top Lock Brake (T) | TPK Brake Kit |

| OTHER OPTIONS | | | |
|-----------------------------|--|------------------|---|
| | Spring clip, quick change plate. For use with 06 plate. Part # CP06-01 | Thread Guards | G |
| | | High Temp Grease | K |
| For more info, see page 167 | | Zerk Axle | Z |

- Featuring 1-1/4" wide light medium duty wheels
- Double ball raceway swivel
- 3/8" axle and nut
- NSF listed
- Bright zinc-plated as standard, black electrocoat and nickel are available as options

| FASTENING OPTIONS | | | |
|-------------------|--|----------------------------------|--------------------|
| Plate Code | Overall Size | Bolt Hole Pattern | Mounting Bolt Size |
| 06 | 2-3/8 X 3-5/8 | 1-3/4 X 2-7/8 SLOTTED 3 | 5/16 |
| | PLATE FEATURES ADDITIONAL MOUNTING HOLES FOR USE ON ALUMINUM STRUCTURAL FRAMING, MODULAR CARTS & WORK STATIONS. TWO 5/16" HOLES CENTERED AT 3.22 (BETWEEN OTHER HOLES, LONG WAY) | | |
| MS | 3-1/8 X 3-3/4 | 1-5/8 X 3 TO 2-5/16 X 3-1/8 | 3/8 |
| 11 | 3-1/8 X 4-1/8 | 1-3/4 X 2-15/16 TO 2-3/8 X 3-3/8 | |
| 17 | 4 X 4-1/2 | 2-5/8 X 3-5/8 TO 3 X 3 | |

| WHEEL COLOR OPTIONS | | | | | | | | | | | | | | | |
|---------------------|---|---|---|-------|------------|---|---|---|---|---|---|---|---|---|-------|
| Thermo-Pro™ | | | | | Poly-Pro™ | | | | | | | | | | |
| Flat Tread | | | | Round | Flat Tread | | | | | | | | | | Round |
| A | B | I | T | Y | A | D | I | K | P | S | T | V | W | Y | |
| | | | | | | | | | | | | | | | |

13/14 LIGHT – MEDIUM DUTY, PLATE MOUNT SERIES – 350 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Capacity | Bearings Type | 13 Series Swivel Caster Part # | 14 Series Rigid Caster Part # | O. A. H. | Swivel Radius | Color | |
|---------------|-------------|-------------------|---------------|---------------|--------------------------------|-------------------------------|----------------|---------------|---------|--|
| 2-1/2 | 1-1/4 | YOKE AND AXLE/NUT | | | | 13ZZ25GZ82"YAN | 14ZZ25GZ82"YAN | 3-9/16 | 2-9/16 | |
| | | SOFT RUBBER | 175 | PLAIN | 13SR25GB82"YY | 14SR25GB82"YY | | | | |
| | | THERMO-PRO™ | 250 | PRECISION | 13TP25GI44"YY | 14TP25GI44"YY | | | | |
| | | | | BALL | 13TP25GB42"YY | 14TP25GB42"YY | | | | |
| | | POLYOLEFIN | 250 | PLAIN | 13P025GB82"YY | 14P025GB82"YY | | | | |
| | | HARD RUBBER | 250 | BALL | 13PP25G+42"YY | 14PP25G+42"YY | | | | |
| 3 | 1-1/4 | YOKE AND AXLE/NUT | | | | 13ZZ30GZ82"YAN | 14ZZ30GZ82"YAN | 4-1/8 | 2-15/16 | |
| | | SOFT RUBBER | 300 | PLAIN | 13SR30GB82"YY | 14SR30GB82"YY | | | | |
| | | | | BALL | 13SR30GB42"YY | 14SR30GB42"YY | | | | |
| | | NOMADIC™ | 300 | DELTRIN | 13NM30GI5A"YY | 14NM30GI5A"YY | | | | |
| | | | | ANNULAR | 13NM30GI43"YY | 14NM30GI43"YY | | | | |
| | | CONDUCTIVE TPR | 200 | PRECISION | 13CN30GH44"YY | 14CN30GH44"YY | | | | |
| | | CONDUCTIVE SR | 250 | BALL | 13CT30GB42"YY | 14CT30GB42"YY | | | | |
| | | THERMO-PRO™ | 210 | PRECISION | 13TP30GI44"YY | 14TP30GI44"YY | | | | |
| | | | | SLEEVE | 13TP30G+47"YY | 14TP30G+47"YY | | | | |
| | | ELEMENT™ | 210 | ANNULAR | 13EL30GI43"YY | 14EL30GI43"YY | | | | |
| | | | | BALL | 13PP30G+42"YY | 14PP30G+42"YY | | | | |
| | | POLY-PRO™ | 300 | PRECISION | 13PP30G+44"YY | 14PP30G+44"YY | | | | |
| | | | | | 13PP30G+47"YY | 14PP30G+47"YY | | | | |
| | | | | DELTRIN | 13PP30G+55"YY | 14PP30G+55"YY | | | | |
| | | | | | SLEEVE | 13PP30G+90"YY | 14PP30G+90"YY | | | |
| POLYMAC™ | 300 | ANNULAR | 13PM30GM43"YY | 14PM30GM43"YY | | | | | | |
| DURALASTOMER™ | 300 | SLEEVE | 13SU30GL90"YY | 14SU30GL90"YY | | | | | | |
| POLYON AL™ | 350 | ANNULAR | 13PA30GL43"YY | 14PA30GL43"YY | | | | | | |
| HARD RUBBER | 300 | BALL | 13HR30GB42"YY | 14HR30GB42"YY | | | | | | |
| | | PLAIN | 13HR30GB82"YY | 14HR30GB82"YY | | | | | | |
| GRAYROK™ | 300 | PLAIN | 13RK30GI82"YY | 14RK30GI82"YY | | | | | | |
| | | BALL | 13RK30GI82"YY | 14RK30GI82"YY | | | | | | |
| 3 | 1-1/4 | POLYOLEFIN | 250 | PLAIN | 13P030G+82"YY | 14P030G+82"YY | 4-1/8 | 2-15/16 | B, Z | |
| | | | 300 | SLEEVE | 13P030G+90"YY | 14P030G+90"YY | | | J, Z | |
| | | | | BALL | 13P030GZ42"YY | 14P030GZ42"YY | | | | |

13/14 LIGHT – MEDIUM DUTY, PLATE MOUNT SERIES – 350 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Capacity | Bearings Type | 13 Series Swivel Caster Part # | 14 Series Rigid Caster Part # | O. A. H. | Swivel Radius | Color | |
|-----------------|----------------|-------------------|----------------|----------------|--------------------------------|-------------------------------|-----------------|---|--------|---|
| 3 | 1-1/4 | H. D. POLYOLEFIN | 300 | PLAIN | 13HP30G+82**YY | 14HP30G+82**YY | 4-1/8 | 2-15/16 | | |
| | | NYLON | 300 | SLEEVE | 13NY30GE90**YY | 14NY30GE90**YY | | | | |
| | | PHENOLIC | 300 | PRECISION | 13NY30GE47**YY | 14NY30GE47**YY | | | | |
| | | H. T. PHENOLIC | 200 | TOP HEAD | 13PH30GB99**YY | 14PH30GB99**YY | | | | |
| | | BRIMSTONE® | 350 | S.S. TOP HEAD | 13HT30GQ97**YY | 14HT30GQ97**YY | | | | |
| | | SEMI-STEEL | 350 | S.S. TOP HEAD | 13GN30GQ97**YY | 14GN30GQ97**YY | | | | |
| | | SINTERED IRON | 350 | PLAIN | 13SS30GS82**YY | 14SS30GS82**YY | | | | |
| | V-GROOVE | 350 | SLEEVE | 13SS30GS90**YY | 14SS30GS90**YY | | | | | |
| | 1-1/2 | PHENOLIC | 350 | PLAIN | 13SI30GS82**YY | 14SI30GS82**YY | | | | |
| | | | | | ROLLER | 13PH30GB90**YY | | | | 14PH30GB90**YY |
| | | | | | 13PH30HB03**YZ | 14PH30HB03**YZ | | | | |
| 3-1/2 | 1-1/4 | YOKE AND AXLE/NUT | | | | 13ZZ35GZ82**YAN | 14ZZ35GZ82**YAN | 4-5/8 | 3-3/16 | T, Y K, W, P A, D, I, K, S T, Y K, W, P |
| | | SOFT RUBBER | 350 | PLAIN | 13SR35GB82**YY | 14SR35GB82**YY | | | | |
| | | RUBBER/ALU | 250 | ANNULAR | 13RA35GI43**YY | 14RA35GI43**YY | | | | |
| | | NOMADIC™ | 300 | DELTRIN | 13NM35GI5A**YY | 14NM35GI5A**YY | | | | |
| | | THERMO-PRO™ | 230 | ANNULAR | 13NM35GI43**YY | 14NM35GI43**YY | | | | |
| | | | | PRECISION | 13TP35GI44**YY | 14TP35GI44**YY | | | | |
| | | ELEMENT™ | 220 | SLEEVE | 13TP35G+47**YY | 14TP35G+47**YY | | | | |
| | | | | ANNULAR | 13TP35G+90**YY | 14TP35G+90**YY | | | | |
| | | POLY-PRO™ | 300 | ANNULAR | 13EL35GI43**YY | 14EL35GI43**YY | | | | |
| | | | | PRECISION | 13PP35G+42**YY | 14PP35G+42**YY | | | | |
| | | | | DELTRIN | 13PP35G+44**YY | 14PP35G+44**YY | | | | |
| | | | | SLEEVE | 13PP35G+47**YY | 14PP35G+47**YY | | | | |
| | | POLYMADIC™ | 325 | DELTRIN | 13PP35G+55**YY | 14PP35G+55**YY | | | | |
| | | | | ANNULAR | 13PP35G+90**YY | 14PP35G+90**YY | | | | |
| | | POLYON AL™ | 350 | DELTRIN | 13PM35GM5A**YY | 14PM35GM5A**YY | | | | |
| | | DISC WHEEL | 250 | ANNULAR | 13PM35GM43**YY | 14PM35GM43**YY | | | | |
| | | HARD RUBBER | 300 | ANNULAR | 13PA35GL43**YY | 14PA35GL43**YY | | | | |
| | | POLYOLEFIN | 300 | BALL | 13UN35GLA3**YY | 14UN35GLA3**YY | | | | |
| PLAIN | 13HR35GB82**YY | | | 14HR35GB82**YY | | | | | | |
| PHENOLIC | 350 | PLAIN | 13P035GZ82**YY | 14P035GZ82**YY | | | | | | |
| | | SLEEVE | 13P035GJ90**YY | 14P035GJ90**YY | | | | | | |
| SEMI-STEEL | 350 | TOP HEAD | 13PH35GB99**YY | 14PH35GB99**YY | | | | | | |
| | | PLAIN | 13SS35GS82**YY | 14SS35GS82**YY | | | | | | |
| 4 | 1-1/4 | YOKE AND AXLE/NUT | | | | 13ZZ40GZ82**YAN | 14ZZ40GZ82**YAN | 5-3/16" (REPLACE 40 WITH 4 X FOR 5" O. A. H.) | 3-7/16 | T, Y T, Y W, K, P B, Z J, Z B, E |
| | | SOFT RUBBER | 350 | PLAIN | 13SR40GB82**YY | 14SR40GB82**YY | | | | |
| | | RUBBER/ALU | 250 | BALL | 13SR40GB42**YY | 14SR40GB42**YY | | | | |
| | | | | ANNULAR | 13RA40GI43**YY | 14RA40GI43**YY | | | | |
| | | NOMADIC™ | 300 | DELTRIN | 13NM40GI5A**8YY | 14NM40GI5A**YY | | | | |
| | | CONDUCTIVE | 250 | ANNULAR | 13NM40GI43**YY | 14NM40GI43**YY | | | | |
| | | | | PRECISION | 13CN40GH44**YY | 14CN40GH44**YY | | | | |
| | | THERMO-PRO™ | 250 | PRECISION | 13TP40GI44**YY | 14TP40GI44**YY | | | | |
| | | | | SLEEVE | 13TP40G+47**YY | 14TP40G+47**YY | | | | |
| | | ELEMENT™ | 240 | SLEEVE | 13TP40G+90**YY | 14TP40G+90**YY | | | | |
| | | | | ANNULAR | 13EL40GI43**YY | 14EL40GI43**YY | | | | |
| | | POLY-PRO™ | 350 | BALL | 13PP40G+42**YY | 14PP40G+42**YY | | | | |
| | | | | PRECISION | 13PP40G+44**YY | 14PP40G+44**YY | | | | |
| | | | | DELTRIN | 13PP40G+47**YY | 14PP40G+47**YY | | | | |
| | | | | SLEEVE | 13PP40G+90**YY | 14PP40G+90**YY | | | | |
| | | POLYMADIC™ | 350 | DELTRIN | 13PM40GM5A**YY | 14PM40GM5A**YY | | | | |
| | | | | ANNULAR | 13PM40GM43**YY | 14PM40GM43**YY | | | | |
| | | DURALASTOMER™ | 350 | SLEEVE | 13SU40GL90**YY | 14SU40GL90**YY | | | | |
| | | POLYON AL™ | 350 | ANNULAR | 13PA40GL43**YY | 14PA40GL43**YY | | | | |
| | | DISC WHEEL | 270 | BALL | 13UN40GLA3**YY | 14UN40GLA3**YY | | | | |
| | | HARD RUBBER | 350 | PLAIN | 13HR40GB82**YY | 14HR40GB82**YY | | | | |
| | | | | BALL | 13HR40GB42**YY | 14HR40GB42**YY | | | | |
| | | POLYOLEFIN | 350 | PLAIN | 13P040G+82**YY | 14P040G+82**YY | | | | |
| | | | | SLEEVE | 13P040G+90**YY | 14P040G+90**YY | | | | |
| | | | | BALL | 13P040GZ42**YY | 14P040GZ42**YY | | | | |
| | | H. D. POLYOLEFIN | 350 | PLAIN | 13HP40G+82**YY | 14HP40G+82**YY | | | | |
| | | | | PRECISION | 13NY40GE47**YY | 14NY40GE47**YY | | | | |
| | | NYLON | 350 | SLEEVE | 13NY40GE90**YY | 14NY40GE90**YY | | | | |
| TOP HEAD | 13PH40GB99**YY | | | 14PH40GB99**YY | | | | | | |
| PHENOLIC | 350 | ROLLER | 13PH40HB03**YZ | 14PH40HB03**YZ | | | | | | |
| | | S.S. TOP HEAD | 13HT40GQ97**YY | 14HT40GQ97**YY | | | | | | |
| H.T. PHENOLIC | 250 | S.S. TOP HEAD | 13GN40GQ97**YY | 14GN40GQ97**YY | | | | | | |
| BRIMSTONE® | 350 | S.S. TOP HEAD | 13BF40GC97**YZ | 14BF40GC97**YZ | | | | | | |
| STEROLLIZER® AL | 300 | SLEEVE | 13SL40GC83**YY | 14SL40GC83**YY | | | | | | |
| STEROLLIZER® SS | 300 | SLEEVE | 13SS40GS82**YY | 14SS40GS82**YY | | | | | | |
| SEMI-STEEL | 300 | SLEEVE | 13SS40GS90**YY | 14SS40GS90**YY | | | | | | |



DURABLE SUPERIOR CASTERS®

13/14 LIGHT – MEDIUM DUTY, PLATE MOUNT SERIES – 350 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Capacity | Bearings Type | 13 Series Swivel Caster Part # | 14 Series Rigid Caster Part # | O. A. H. | Swivel Radius | Color |
|-----------------|----------------|-------------------|----------------|----------------|--------------------------------|-------------------------------|---|---------------|-------|
| 4 | 1-1/2 | POLYON® | 350 | ROLLER | 13PU40H+03**YZ | 14PU40H+03**YZ | 5-3/16" (REPLACE 40 WITH 4 X FOR 5" O. A. H.) | 3-7/16 | |
| | | POLYON AL™ | 350 | ROLLER | 13PA40H+03**YZ | 14PA40H+03**YZ | | | |
| | | POLYOLEFIN | 350 | ROLLER | 13PO40HB03**YZ | 14PO40HB03**YZ | | | |
| | | PHENOLIC | 350 | SLEEVE | 13PH40HB90**YY | 14PH40HB90**YY | | | |
| | | | | ROLLER | 13PH40HB03**YZ | 14PH40HB03**YZ | | | |
| | | H. T. PHENOLIC | 350 | SLEEVE | 13HT40HQ90**YY | 14HT40HQ90**YY | | | |
| | | | | ROLLER | 13HT40HQ03**YZ | 14HT40HQ03**YZ | | | |
| | | BRIMSTONE® | 350 | SLEEVE | 13GN40HQ90**YY | 14GN40HQ90**YY | | | |
| ROLLER | 13GN40HQ03**YZ | | | 14GN40HQ03**YZ | | | | | |
| STEROLLIZER® AL | 350 | SS PRECISION | 13BH40HC61**YY | 14BH40HC61**YY | | | | | |
| STEROLLIZER® SS | 350 | SS PRECISION | 13SL40HC61**YY | 14SL40HC61**YY | | | | | |
| EPOXY | 350 | SLEEVE | 13OV40HQ90**YZ | 14OV40HQ90**YZ | | | | | |
| 5 | 1-1/4 | YOKE AND AXLE/NUT | | | 13ZZ50GZ82**YAN | 14ZZ50GZ82**YAN | 6-1/8 | 4 | |
| | | SOFT RUBBER | 350 | PLAIN | 13SR50GB82**YY | 14SR50GB82**YY | | | |
| | | | | BALL | 13SR50GB42**YY | 14SR50GB42**YY | | | |
| | | RUBBER/ALU | 325 | ANNULAR | 13RA50GI43**YY | 14RA50GI43**YY | | | |
| | | | | DELTRIN | 13NM50GI5A**YY | 14NM50GI5A**YY | | | |
| | | NOMADIC™ | 325 | ANNULAR | 13NM50GI43**YY | 14NM50GI43**YY | | | |
| | | | | PRECISION | 13CN50GH44**YY | 14CN50GH44**YY | | | |
| | | CONDUCTIVE | 275 | PRECISION | 13TP50GI44**YY | 14TP50GI44**YY | | | |
| | | | | SLEEVE | 13TP50G+47**YY | 14TP50G+47**YY | | | |
| | | THERMO-PRO™ | 300 | SLEEVE | 13TP50G+90**YY | 14TP50G+90**YY | | | |
| | | | | ANNULAR | 13EL50GI43**YY | 14EL50GI43**YY | | | |
| | | ELEMENT™ | 250 | BALL | 13PP50G+42**YY | 14PP50G+42**YY | | | |
| | | | | PRECISION | 13PP50G+44**YY | 14PP50G+44**YY | | | |
| | | POLY-PRO™ | 350 | PRECISION | 13PP50G+47**YY | 14PP50G+47**YY | | | |
| | | | | DELTRIN | 13PP50G+55**YY | 14PP50G+55**YY | | | |
| | | | | SLEEVE | 13PP50G+90**YY | 14PP50G+90**YY | | | |
| | | | | DELTRIN | 13PM50GM5A**YY | 14PM50GM5A**YY | | | |
| | | POLYMADIC™ | 350 | ANNULAR | 13PM50GM43**YY | 14PM50GM43**YY | | | |
| | | | | SLEEVE | 13SU50GL90**YY | 14SU50GL90**YY | | | |
| | | DURALASTOMER™ | 350 | ANNULAR | 13PA50GL43**YY | 14PA50GL43**YY | | | |
| | | POLYON AL™ | 350 | ANNULAR | 13UN50GLA3**YY | 14UN50GLA3**YY | | | |
| | | DISC WHEEL | 300 | BALL | 13HR50GB82**YY | 14HR50GB82**YY | | | |
| | | | | BALL | 13HR50GB42**YY | 14HR50GB42**YY | | | |
| | | HARD RUBBER | 350 | PLAIN | 13PO50G+82**YY | 14PO50G+82**YY | | | |
| | | | | SLEEVE | 13PO50G+90**YY | 14PO50G+90**YY | | | |
| | | POLYOLEFIN | 350 | BALL | 13PO50GZ42**YY | 14PO50GZ42**YY | | | |
| | | | | PLAIN | 13HP50G+82**YY | 14HP50G+82**YY | | | |
| | | H. D. POLYOLEFIN | 350 | PRECISION | 13NY50GE47**YY | 14NY50GE47**YY | | | |
| SLEEVE | 13NY50GE90**YY | | | 14NY50GE90**YY | | | | | |
| PHENOLIC | 350 | TOP HEAD | 13PH50GB99**YY | 14PH50GB99**YY | | | | | |
| H. T. PHENOLIC | 300 | S. S. TOP HEAD | 13HT50GQ97**YY | 14HT50GQ97**YY | | | | | |
| BRIMSTONE® | 350 | S. S. TOP HEAD | 13GN50GQ97**YY | 14GN50GQ97**YY | | | | | |
| SEMI-STEEL | 350 | PLAIN | 13SS50GS82**YY | 14SS50GS82**YY | | | | | |
| | | SLEEVE | 13SS50GS90**YY | 14SS50GS90**YY | | | | | |
| 5 | 1-1/2 | POLYON® | 350 | ROLLER | 13PU50H+03**YZ | 14PU50H+03**YZ | 6-1/8 | 4 | |
| | | POLYON AL™ | 350 | ROLLER | 13PA50H+03**YZ | 14PA50H+03**YZ | | | |
| | | POLYOLEFIN | 350 | ROLLER | 13PO50HB03**YZ | 14PO50HB03**YZ | | | |
| | | PHENOLIC | 350 | SLEEVE | 13PH50HB90**YY | 14PH50HB90**YY | | | |
| | | | | ROLLER | 13PH50HB03**YZ | 14PH50HB03**YZ | | | |
| | | H. T. PHENOLIC | 350 | SLEEVE | 13HT50HQ90**YY | 14HT50HQ90**YY | | | |
| | | | | ROLLER | 13HT50HQ03**YZ | 14HT50HQ03**YZ | | | |
| | | BRIMSTONE® | 350 | SLEEVE | 13GN50HQ90**YY | 14GN50HQ90**YY | | | |
| ROLLER | 13GN50HQ03**YZ | | | 14GN50HQ03**YZ | | | | | |
| 6 | 1-1/4 | YOKE AND AXLE/NUT | | | 13ZZ60GZ82**YAN | 14ZZ60GZ82**YAN | 7-3/8 | 4-9/16 | |
| | | POLY-PRO™ | 350 | PRECISION | 13PP60G+44**YY | 14PP60G+44**YY | | | |
| | | | | DELTRIN | 13PP60G+47**YY | 14PP60G+47**YY | | | |
| | | | | SLEEVE | 13PP60GI55**YY | 14PP60GI55**YY | | | |
| | | THERMO-PRO™ | 300 | PRECISION | 13TP60GI44**YY | 14TP60GI44**YY | | | |
| | | | | SLEEVE | 13TP60GT90**YY | 14TP60GT90**YY | | | |
| | | | | SLEEVE | 13TP60GT90**YY | 14TP60GT90**YY | | | |
| | | 6-1/4 | 1-1/4 | CUSHION-RIDE™ | 200 | BALL | | | |